

Message

---

**From:** Stuber, Robyn [Stuber.Robyn@epa.gov]  
**Sent:** 9/8/2018 1:12:50 AM  
**To:** Siebels, Thomas@Waterboards [Thomas.Siebels@waterboards.ca.gov]  
**CC:** Owens, Cassandra@Waterboards [Cassandra.Owens@waterboards.ca.gov]; Morris, Cris@Waterboards [Cris.Morris@waterboards.ca.gov]; Smith, DavidW [Smith.DavidW@epa.gov]  
**Subject:** RE: Shell Carson Permit

Thanks, Thom. I'll get back to you on Tuesday. Have a good weekend.

---

**From:** Siebels, Thomas@Waterboards [mailto:Thomas.Siebels@waterboards.ca.gov]  
**Sent:** Friday, September 07, 2018 3:21 PM  
**To:** Stuber, Robyn <Stuber.Robyn@epa.gov>  
**Cc:** Owens, Cassandra@Waterboards <Cassandra.Owens@waterboards.ca.gov>; Morris, Cris@Waterboards <Cris.Morris@waterboards.ca.gov>  
**Subject:** Shell Carson Permit

Robyn

Attached for your review is the latest draft of the Shell Carson Permit which reflects edits from all Regional Board staff involved. The edits are limited to the following sections:

- Section III.D.3, pages F-14 and 15
- Section IV.D.1, pages F-28 and 29

The only other edit was that we corrected the TSS limit from 30 mg/L to 75 mg/L to be consistent with other permits in the region.

Please review these edits at your earliest convenience and provide any feedback. We are hoping to get this out for public comment as soon as possible.

Thanks

Thom